

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#)
[Sign in](#)

Google scholar

  [Advanced Scholar Search](#)
**Scholar**   -   [Create email alert](#)
Results **1 - 24 of 24.** (0.10 sec)**On the security of joint **signature** and encryption**[\[PDF\] from psu.edu](#)J An, Y Dodis... - *Advances in Cryptology—EUROCRYPT 2002*, 2002 - Springer

... VerDec(u) = VerDec(u). Thus, CCA2 attack wrt R disallows A to de-**signcrypt** any u ... **Signcryption** only allows the receiver to be convinced that m was sent by S, but does not ... We believe that non-repudiation should not be part of the definition of **sign-cryption** security, but we will ...

Cited by 336 - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)**Multipurpose identity-based **signcryption****[\[PDF\] from psu.edu](#)X Boyen - *Advances in Cryptology-CRYPTO 2003*, 2003 - Springer

... purpose optimized IBSE scheme is as compact as most existing single-purpose IBE and IBS ... instead of the usual notion of ciphertext unforgeability as studied in the **signcryption** model of [1 ... also that ciphertext unlinkability only makes sense in a two-layer **sign-cryption** model like ...

Cited by 223 - [Related articles](#) - [All 31 versions](#)**Compact and unforgeable **key** establishment over an ATM network**[\[PDF\] from psu.edu](#)Y Zheng... - ... 86. Seventeenth Annual Joint Conference of ... 1998 - [ieeexplore.ieee.org](#)

... The example **signcrypt**ion scheme is called SCS1 and it uses a shortened version of the ... described in Tables 3 and 4 are essentially message transport schemes using **sign-cryption**, security of **key** materials are guaranteed by the security of the **signcryption** scheme against ...

Cited by 27 - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)**Distributed **signcryption****Y Mu... - *Progress in Cryptology—INDOCRYPT 2000*, 2000 - Springer

... that Alice belonging to group Ga wishes to send a signcrypted message m to the group Gb and that Bob is one of recipients ... In order to **signcrypt** the message, Alice needs to do the following ... Computes  $r = Hk_2(m)$  and  $s_j = k(x_j a - r_{uj}) \bmod q$  ( $j = 1, \dots, n$ ). – The **signcryption** is then ...

Cited by 38 - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)**Encrypted message authentication by firewalls**[\[PDF\] from psu.edu](#)C Gamage, J Leino... - *Public Key Cryptography*, 1999 - Springer

... Operation **Signcryption** Modified **Signcryption** DSA sign + ElGamal encrypt **Signcrypt** 1 EXP 2 EXP 1 + 2 EXP ... 2. The challenge is simply a one-way hash of the message being signed and the witness value. ... 4.3 Properties of Modified **Signcryption** Scheme ...

Cited by 55 - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)**Parallel authentication and public-key encryption**[\[PDF\] from ens.fr](#)J Pieprzyk... - *Information Security and Privacy*, 2003 - Springer

... to the random oracles, and  $q_1$  and  $q_2$  queries to the **signcryption** and de-**signcryption** oracles, respectively. ... Advind-ada **SignCrypt**(A) =  $2 \Pr[d = b] - 1 = 2\Pr[d = b - (\text{AskG} \text{ AskR})] + 2 \Pr[d = b$  ... necessarily appears in the queries asked to g. For each query asked to g, one runs the ...

Cited by 19 - [Related articles](#) - [BL Direct](#) - [All 11 versions](#)**[PDF] Parallel **Signcryption** with OAEP, PSS-R, and other Feistel Paddings**[\[PDF\] from psu.edu](#)

Y Dodis, MJ Freedman... - 2003 - Citeseer

... Moreover, using the scheme of [27], one can only **signcrypt** messages of length significantly less than  $k/2$ , while PbPS with an appropriate two-padding scheme allows a user to **signcrypt** messages of length close to  $2k$ . ... Table 1: A comparison of **signcryption** schemes. ...

Cited by 2 - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)**Efficient distributed **signcryption** scheme as group **signcryption****DJ Kwak... - *Applied Cryptography and Network Security*, 2003 - Springer

... Thereafter, Mu and Varadharajan proposed the distributed **sign-cryption** using distributed encryption [MN99] in [MV00], where any ... In order to **signcrypt** the message, Alice needs to do the following and keeps (z ... The following outlines the weakness as regard group **signcryption**. ...

Cited by 12 - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)**A **signcryption** scheme based on integer factorization**[\[PDF\] from psu.edu](#)R Steinfeld... - *Information Security*, 2000 - Springer

... Tables 1 and 2 compare the efficiency of our scheme with the earlier **sign-cryption** scheme SCS1 ... Then-Encryption (using Small Public Exponents and CRT decryption) and with original **signcryption** scheme SCS1. ...  $p-1$  and  $q-1$  are not smooth (ie have at least one large prime ...

Cited by 58 - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)**Provably secure encrypt-then-sign composition in hybrid **signcryption****[\[PDF\] from psu.edu](#)IR Jeong, HY Jeong, HS Rhee... - *Proceedings of the 5th ...*, 2002 - [portal.acm.org](#)

... In the paper, we propose new encrypt-then-sign composition method in **sign-cryption** called DHetS, and ... To make a hybrid **signcryption** scheme, we can follow two different approach. One approach is to make a secure hybrid asymmetric encryption scheme which is made using ...

Cited by 17 - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)**[PDF] Shortened digital **signature**, **signcryption** and compact and unforgeable **key** agreement schemes**[\[PDF\] from psu.edu](#)Y Zheng... - *to IEEE P1363a: Standard Specifications for Public-Key ...*, 1998 - Citeseer

... applications, it suffices to define  $KHk(m) = \text{hash}(k, m)$ , where hash is a one-way hash ... gxb mod p. Relevant public and **private** parameters are summarized in Table 2. The **signcryption** and unsigncryption ... For Alice to **signcrypt** a message m to be sent to Bob, she carries out the ...

[Cited by 15](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

# [Provably Secure Encrypt-then-Sign Composition in Hybrid \*\*Signcryption\*\*](#)

I Rae Jeong, H Yun Jeong, H Sook Rhee... - Security and Cryptology ..., 2003 - Springer  
... In the paper, we propose new encrypt-then-sign composition method in **sign- cryption** called DHEtS, and ... To make a hybrid **signcryption** scheme, we can follow two different approach. One approach is to make a secure hybrid asymmetric encryption scheme which is made using ...  
[Related articles](#)

## [A survey of research on electronic auction](#)

X CHEN... - Journal of China Institute of, 2002 - en.cnki.com.cn  
... Xidian University, Xi'an 710071, China). Electronic auction is one of the ... an,Shaanxi 710071,China);A Group **Signature** Scheme Based on Ring **Signature** Idea[J] ... AN EFFICIENT ELECTRONIC AUCTION SCHEME BASED ON SECRET SHARING AND SIGNCRYPTION[J]; ...  
[Cited by 3](#) - [Related articles](#) - [Cached](#) - [Bib. Direct](#)

## [\[PDF\] Analysis and Design of Public \*\*Key\*\* Cryptographic Schemes](#)

R Steinfield - 2003 - signcryption.org  
... One such a problem is the integer factorization problem, which is also a very well known 'hard ... Definition of Security Models for General **Signcryption** Schemes. ... a range of precise security notions for both unforgeability and confidentiality of general **sign- cryption** schemes, which ...  
[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\] from signcryption.org](#)

## [\[PDF\] Yuliang Zheng The Peninsula School of Computing and Information Technology Monash University, McMahon's Road, Frankston Melbourne, VIC 3199, ...](#)

C Signature, EC Signature... - 1999 - Citeseer  
... applications, it suffices to define  $Khk\ m = \text{hash } k; m$ , where hash is a one-way hash ... gxb mod p. Relevant public and **private** parameters are summarized in Table 3. The **signcryption** and unsigncryption ... For Alice to **signcrypt** a message m to be sent to Bob, she carries out the ...  
[Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[\[PDF\] from psu.edu](#)

## [Multipoint-to-multipoint secure-messaging with threshold-regulated authorisation and sabotage detection](#)

A Goh... - ... and Multimedia Security. Advanced Techniques for ..., 2003 - Springer  
... This is not demonstrated in TNR multi-sender sign- encryption—which simply uses one **key-pair** each for ... ZNR multi-**signcryption** with verified combination ... in any case required) of individually submitted s. This illustrates the efficacy of the ZNR **sign- cryption** approach which ...  
[Related articles](#) - [Bib. Direct](#) - [All 5 versions](#)

## [\[PDF\] Using \*\*Signcryption\*\* to Build Compact and E cient Protocols for Unforgeable Session \*\*Key\*\* Establishment](#)

Y Zheng... - 1999 - Citeseer  
... 12 Page 13. Figure 3: Indirect Transport of **Key** Materials 6 **Signcryption** Based **Key** Establishment ... It would be pointed out that the digital **signature** scheme used by the CA in creating public **key** certificates does not have to be one based on ElGamal **signature** scheme. ...  
[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] from psu.edu](#)

## [불록 암호 알고리즘을 사용하지 않는 인증](#)

암호화 - 정보과학회논문지: 시스템 및 이론, 2002 - dbpia.co.kr  
... **private key** -  $y\ B = g \times B \text{ mod } p$ : Bob's public **key** - hash : a one-way hash ... Scheme We describe the Bao-Deng **signcryption** scheme [9], which is based on Zheng's **signcryption** scheme [1 ... ciphertext  $c = E\ K2\ (m)$  . - compute **commitment**  $r = \text{hash}\ (m\ ||K\ 1)$  . - compute **signature**  $s = k \dots$   
[Related articles](#)

## [\[PDF\] Yuliang Zheng School of Computing and Information Technology Monash University Melbourne, VIC 3199, AUSTRALIA](#)

H Imai - 1998 - Citeseer  
... Figure 3: Indirect Transport of **Key** Materials 6 **Signcryption** Based **Key** Establishment ... It would be pointed out that the digital **signature** scheme used by the CA in creating public **key** certificates does not have to be one based on ElGamal **signature** scheme. ...  
[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\] from psu.edu](#)

## [\[PDF\] New E cient and Secure Protocols for Verifiable](#)

D Catalano... - 1999 - Citeseer  
... that a threshold **signature** scheme trivially gives a VS scheme when the **signature** sharer coincides ... relationship to fair public-**key** cryptosystems (FPKC) [34] in which one has to ... can be substituted with standard cryptographic techniques for privacy, **commitment** and authentication ...  
[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[\[PDF\] from psu.edu](#)

## [\[BOOK\] Applied cryptography and network security: first international conference, ACNS 2003, Kunming, China, October 16-19, 2003: proceedings](#)

J Zhou, M Yung... - 2003 - books.google.com  
... Xiaoxi Han, Bo Zhu Digital **Signature** Proxy and Threshold One-Time Signatures ... Xie A Ring **Signature** Scheme Based on the Nyberg-Rueppel **Signature** Scheme ... 387 Sandeepan Chowdhury, Subhamoy Maitra Efficient Distributed **Signcryption** Scheme as Group **Signcryption**..... ...  
[Related articles](#) - [Library Search](#) - [All 4 versions](#)

## [\[PS\] A Bibliography of Papers in Lecture Notes in Computer Science \(2000\)](#)

NHF Beebe - 2002 - Citeseer  
... Comics [2463]. Commerce [793, 890, 1612, 2666, 2803, 321, 323, 2033, 322]. Commercial [2673]. Commercially [668]. Commit [143]. Commit/Isolation [143]. **Commitment** [719, 1571]. Commitments [1560]. Committal [2705]. Committed [729]. committing [1572]. ...

[\[PS\] from psu.edu](#)

[View as HTML](#) - [All 3 versions](#)

**[PS]** [A Bibliography of Papers in Lecture Notes in Computer Science \(1997\). Part 2 of 2](#)

[\[PSI\] from psu.edu](#)

NHF Beebe - [vertex](#), 2002 - [Citeseer](#)

... [Comment](#) [2706]. [Page](#) 11. 11 [Commerce](#) [307, 1442, 1443, 1458, 1449, 1450, 2619, 2471, 1455, 2618, 1459, 2470, 2620, 1453]. **Commitment** [2681, 2775]. [Commitments](#) [1549]. [Committees](#) [2763, 1261]. [Common](#) [2021, 1978, 1374, 1806, 1552, 682]. [Common-Pool](#) [1978]. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

**[PS]** [A Bibliography of Papers in Lecture Notes in Computer](#)

[\[PSI\] from psu.edu](#)

NHF Beebe - [way](#), 1999 - [Citeseer](#)

... [Commands](#) [1554]. [Commerce](#) [39, 919]. **Commitment** [391]. [Communicating](#) [785, 552]. ... [Conditioning](#) [576]. [Conditions](#) [614, 2067, 134]. [Conference](#) [47, 1524]. [Conference-Key](#) [47]. [Con guration](#) [874, 870, 865, 872, 909, 232, 954, 871, 1884]. [Con guration-Based](#) [232]. ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Create email alert](#)

signcryption IBE signature commitm

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google